

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

5

Listing of Claims:

1. (currently amended) A wireless security and access device adapted for use in accessing an electronic message received at a personal computer, said device comprising:

10 a housing;

a wireless radio receiver embedded in said housing for receiving notification of the computer's receipt of said an arrived electronic message;

a processor and memory embedded in said housing for processing and storing said notification;

15 an indicator for displaying said notification; and

a radio transmitter embedded in said housing for transmitting a preset unique radio signal, wherein the preset unique radio signal from the wireless security and access device is adapted to interface with a radio receiver of a personal the computer preset to receive the unique radio signal; and in response, said computer transmits the electronic message to said device.

20

2. (original) A device according to claim 1, wherein the personal computer receiver prompts the computer to perform predetermined actions upon receipt of the unique radio signal.

25 3. (original) A device according to claim 2, wherein the predetermined actions include turning the personal computer on.

4. (original) A device according to claim 2, wherein the predetermined actions include opening predetermined programs.

30 5. (previously presented) A device according to claim 1, further comprising a display coupled to said processor for activation upon receipt of the notification.

6. (original) A device according to claim 1, further comprising a manually operable switch for activating said transmitter to transmit the preset unique radio signal.

7. (original) A device according to claim 1, wherein the device is incorporated into a
5 wireless telephone handset.

8. (currently amended) A method for providing secure access to electronic messages residing on a personal computer, comprising the steps of:

receiving notification at a remote wireless security and access device that an incoming
10 electronic message has been received at a computer; and

transmitting a preset unique radio signal to the computer,

wherein upon receipt of the preset unique radio signal, the computer is preset to retrieve
transmit the electronic message to said device upon receipt of the preset unique radio signal.

15 9. (original) A method according to claim 8, wherein the notification received in said receiving step is transmitted by a radio transmitter of the personal computer.

10. (original) A method according to claim 8 wherein the notification received in said receiving step is transmitted by a radio transmitter of a service provider.

20

11. (previously presented) A method according to claim 8, wherein the wireless security and access device comprises:

a housing;

25 a wireless radio receiver embedded in said housing for receiving notification of the electronic message;

a processor and memory embedded in said housing for processing and storing said received notification;

an indicator for displaying said notification; and

a radio transmitter embedded in said housing for transmitting a preset unique radio signal.

30

12. (original) A method according to claim 8, wherein the personal computer includes a wireless receiver that prompts the computer to perform predetermined actions upon receipt of the unique radio signal.

5 13. (original) A method according to claim 8, wherein the step of receiving a notification that an incoming message has been received comprises visible or audible activation of the indicator on the wireless security and access device.

14. (currently amended) A wireless security and access device, comprising:

10 a housing;

a wireless receiver embedded in said housing for receiving notification of a voicemail message;

a processor and memory embedded in said housing for processing and storing said notification;

15 an indicator for displaying said notification; and

a transmitter embedded in said housing for transmitting a preset unique radio signal,

wherein the preset unique radio signal from the wireless security and access device is adapted to interface with a receiver of a telecommunication system preset to receive the unique radio signal; and in response, said telecommunication system transmits the voicemail message to said device.

20 15. (original) A device according to claim 14, wherein the telecommunication system receiver prompts the system to perform predetermined actions upon receipt of the unique radio signal.

25

16. (canceled)

17. (original) A device according to claim 14, wherein the device is incorporated into a wireless telephone handset.

30

18. (currently amended) A method for providing secure access to voicemail messages residing on a telecommunication system, comprising the steps of:

receiving notification at a remote wireless security and access device that an incoming voicemail message has been received at a telecommunication system; and

5 transmitting a preset unique radio signal to the telecommunication system,

wherein upon receipt of the preset unique radio signal, the telecommunication system is preset to retrieve transmit the voicemail message to said device upon receipt of the preset unique radio signal.

10 19. (original) A method according to claim 18, wherein the telecommunication system includes a wireless receiver that prompts the system to perform predetermined actions upon receipt of the unique radio signal.

15 20. (original) A method according to claim 18, wherein the step of receiving a notification that an incoming voicemail message has been received comprises visible or audible activation of the indicator on the wireless security and access device.